

# ZECA

Z

TECHNICAL EXCELLENCE. SINCE 1929.

## HOSE REELS

SERIE 8400


### ART. 8443/1000

Hose length (m)  
**18**

Hose internal diameter (mm)  
**10 mm (3/8")**

Tube type  
**EN 857 1SC Black**

Maximum pressure  
**180 bar**




### TECHNICAL DATA

Article	Hose internal diameter (mm)	Hose length (m)	Maximum pressure	End fitting	Temperature	Incoming connection	Tube type	Tube colour	Fluid type
8443/1000	10 mm (3/8")	18	180 bar	3/8" F swivelling	-15°C/+130°C	3/8" F	EN 857 1SC Black	BLACK	Oil - Water

Please note: The images are for illustrative and explanatory purposes only

OVERALL DIMENSIONS



Technical features

- SS AISI 304 bracket
- Standard coupling
- Brass outlet fitting
- SS screws

STAINLESS STEEL Light cable reels are suitable for various fields of application, from the food sector to the nautical and chemical sectors, aggressive work environments with corrosive atmospheres. Ideal for industrial cleaning, blowing operations and for transporting fluids like oil.

OPTIONAL ACCESSORIES AND SPARE PARTS

**ART. 8400/SL**

voltage

Inlet tube 60 cm - 20 bar - 1/2"SAE 100 R6 - 1/2" M and 1/2" F fittings swivel

**ART. 8400/SK**

Spezzone tubo ingresso

Spezzone tubo ingresso 60 cm - 20 bar - 1/2" KPU - raccordi 1/2" M and 1/2" F girevole

**ART. 8400/SH**

Spezzone tubo ingresso

Spezzone tubo ingresso 60 cm - 200 bar - 3/8" 1SC nero - raccordi 3/8" M and 3/8" F girevole

OPTIONAL  
ACCESSORIES AND  
SPARE PARTS

**ART. 8400/CY**

Coil cover  
Yellow coil cover



**ART. 8400/CB**

Coperchio bobina  
Coperchio bobina nero



**ART. 8400/SW**

Staffa orientabile  
Staffa orientabile



**ART. 8400/SWI**

Staffa orientabile  
Staffa orientabile in acciaio INOX

