

# ZECA

Z

TECHNICAL EXCELLENCE. SINCE 1929.

## HOSE REELS

SERIE 8400



**ART. 8448/1111**

Hose length (m)  
**18**

Hose internal diameter (mm)  
**10 mm (3/8")**

Tube type  
**EN 857 1SC Blu No Marking**


Maximum pressure  
**180 bar**



### TECHNICAL DATA

Article	Hose internal diameter (mm)	Hose length (m)	Maximum pressure	End fitting	Temperature	Incoming connection	Tube type	Tube colour	Fluid type
<b>8448/1111</b>	10 mm (3/8")	18	180 bar	3/8" F swivelling	-15°C/+130°C	3/8" F	EN 857 1SC Blu No Marking	BLUE	Oil - Water

Please note: The images are for illustrative and explanatory purposes only

**OVERALL DIMENSIONS****Technical features**

- SS AISI 304 bracket
- SS inlet rotary coupling and fitting
- SS outlet fitting
- SS screws

The Full INOX hose reels are suitable for various fields of application, from the food sector, to the nautical and chemical sectors, to aggressive work environments with corrosive atmospheres. Ideal for industrial cleaning, blowing and transport of fluids such as oil and AdBlue.

**OPTIONAL ACCESSORIES AND SPARE PARTS****ART. 8400/SL**

voltage

Inlet tube 60 cm - 20 bar - 1/2" SAE 100 R6 - 1/2" M and 1/2" F fittings swivel

**ART. 8400/SK**

Spezzone tubo ingresso

Spezzone tubo ingresso 60 cm - 20 bar - 1/2" KPU - raccordi 1/2" M and 1/2" F girevole

**ART. 8400/SH**

Spezzone tubo ingresso

Spezzone tubo ingresso 60 cm - 200 bar - 3/8" 1SC nero - raccordi 3/8" M and 3/8" F girevole

OPTIONAL  
ACCESSORIES AND  
SPARE PARTS

**ART. 8400/CY**

Coil cover  
Yellow coil cover



**ART. 8400/CB**

Coperchio bobina  
Coperchio bobina nero



**ART. 8400/SW**

Staffa orientabile  
Staffa orientabile



**ART. 8400/SWI**

Staffa orientabile  
Staffa orientabile in acciaio INOX

