



TECHNICAL EXCELLENCE. SINCE 1929.

HOSE REELS

SERIE 8900



ART. 8921

Hose length (m)
32

Hose internal diameter (mm)
10 mm (3/8")

Tube type
KPU

Maximum pressure
20 bar




TECHNICAL DATA

Article	Hose internal diameter (mm)	Hose length (m)	Cut length (m)	Maximum pressure	End fitting	Temperature	Incoming connection	Tube type	Tube colour	Fluid type
8921	10 mm (3/8")	32	1	20 bar	3/8" M BSP	-5 °C/+50 °C	NO	KPU	BLUE	Air - Water

Please note: The images are for illustrative and explanatory purposes only

OVERALL DIMENSIONS



Technical features

- Hose reel for industrial uses, suitable for long lengths or large diameter reels.
- Structure in aluminum and steel with epoxy painting.
- Aluminium side fixing flange, with built-in detent (the detent is normally supplied disconnected and can be easily inserted by the user before installation)
- Roller guide tube mouth.
- Swivel joint without chokes in brass / stainless steel.
- Steel springs suitable for ensuring optimal traction on the tube and long life.
- TUTTI GLI ARTICOLI SONO DISPONIBILI ANCHE NELLA VERSIONE SENZA TUBO.

Please note: The images are for illustrative and explanatory purposes only

OPTIONAL
ACCESSORIES AND
SPARE PARTS**ART. 8901**

Optional fixed fixing bracket.
The reel is supplied as standard for side
fixing.

